



[illegible]

ESTACAS		COTA DO TERRENO (m)		COTA DA GEMINIZ SUP. EXTERNA (m)		PROFUNDIDADE DA VALA (m)		EXTENSÃO (m)		DECLIVIDADE (m/m)		DIÂMETRO (mm) / CLASSE	
E.00	E0+11,00	219,310	215,416	216,350	215,000	1,48	1,50	8,16	0,0000	0,0751	DN600 R/C		
E.05		214,891	214,439	214,830	213,351	1,51	1,50	161,32	-0,0248				
E.10		213,982	213,351	212,754	212,376	1,50	1,50	30,16	-0,0848				
E.15		210,456	208,530	207,479	207,680	1,50	1,50	82,42	0,00	0,066			
E.20		208,740	208,840	211,257	211,301	1,50	1,50	27,20	-0,0098	0,0518			
E.25		211,463	212,500	212,610	212,647	1,50	1,50	28,84	0,0518	0,0505			
E.30		211,700	212,160	211,932	211,932	1,50	1,50	36,33	-0,0271				
E.35		211,900	210,404	209,914	209,579	1,50	1,50	83,67		153,00			
E.40		209,200	208,486	207,960	207,346	1,50	1,50	107,00	-0,0261				
E.45		206,143	205,644	205,703	203,537	1,50	1,50	160,00	-0,0505				
E.50		204,671	203,537	202,534	201,494	1,50	1,50	26,72	0,0177	0,0721			
E.55		200,164	199,456	198,646	198,400	1,50	1,50	33,28	0,0143	70,00			
E.60		199,560	198,621	199,60	200,500	1,50	1,50	20,00	-0,0061				
E.65		198,400	198,621	199,60	200,500	1,50	1,50	20,00	-0,0061				
E.70		200,685	201,485	201,724	201,960	1,50	1,50	20,00	-0,0061				
E.75		204,000	204,800	205,013	205,230	1,50	1,50	20,00	-0,0061				
E.80		204,430	205,153	204,000	203,200	0,90	0,90	20,00	-0,0061				

[illegible]